

freedom[®]
Saddle
Pony Saddle





Ultimate Versatility. Ultimate Comfort.


The Saddle and Pony Saddle seats, part of Humanscale's award-winning Freedom seating line, are the most comfortable and versatile stools ever made. The original Saddle and the more compact Pony Saddle accommodate comfortable sitting in countless applications.




No other stool comes close.

The Saddle and Pony Saddle's unique, triangular cushion encourages users to sit in a "saddle" posture, which lowers the thighs, opens up the hips and puts the spine into a healthy lordotic curve. The "saddle" posture also reduces pressure points for long-term comfort and allows users to get closer to their work. It's simply one of the most comfortable and healthy ways to sit if leaning back on a back rest is not an option.

Equally at home in an office, lab or industrial setting, the Saddle and Pony Saddle seats are ideal for short duration computer work, clinical applications and guest seating, or even for getting your feet up off the ground by using it as an ottoman.





Features

- Uniquely contoured triangular cushion allows multiple sitting positions for ultimate comfort.
- Height adjustable pneumatic cylinder accommodates a wide range of users and tasks.
- Optional foot ring and high cylinders for specific applications.
- Available in a wide variety of textiles, including those designed for healthcare and laboratory environments.
- Modular cushion for easy replacement.
- Frame colour options include Graphite, Titanium and Polished Aluminum.
- 5 year warranty on cushions/textiles; 15 year warranty on everything else.

Specifications

- **Height (floor to compressed center of seat cushion):**
445 – 580 mm (17.5" - 22.75") standard Saddle / Pony
515 – 720mm (20.25" - 28.25") high Saddle / Pony
585 – 840mm (23" - 33") extra-high Saddle / Pony
- **Seat Width:**
560mm (22") Saddle seat
405mm (16") Pony Saddle seat
- **Base Diameter :**
635mm (25") High and extra-high Saddle/Pony
559mm (22") Standard Saddle/Pony
- **Optional Foot Ring:**
455mm or 533mm (18" or 21") Foot Ring diameter
150 – 280 mm (6" - 11") Foot Ring height range (from floor)
- **Environmental Highlights:**
Made predominantly of aluminum, followed by steel and plastic.
Designed for easy disassembly with clear recycling guidelines.
Ships in recycled packaging, or blanket-wrapped, when feasible.
Weighs less than 4.8kg (10.6 lbs.), minimising carbon foot print in shipping.
BIFMA level® and Greenguard® certified.
May contribute to LEED certification in several categories.